



Connector AA 011

**Connector AA 011. Features:**

- Material: zinc plated steel
- Screw closing.
- Opening: Ø18 mm.
- Weight: 170 gr.
- W.L.L.: 25kN.
- Standard **EN 362**.
- EC marked.



Connector AA 011T

**Connector AA 011T. Features:**

- Material: zinc plated steel
- Automatic closing (twist lock).
- Opening: Ø18 mm.
- Weight: 170 gr.
- W.L.L.: 20kN.
- Standard **EN 362**.
- EC marked.



Connector AA 012

**Connector AA 012. Features:**

- Material: aluminum
- Screw closing.
- Opening: Ø18 mm.
- Weight: 80 gr.
- W.L.L.: 25kN.
- Standard **EN 362**.
- EC marked.



Connector AA 012T

**Connector AA 012T. Features:**

- Material: aluminum
- Automatic closing (twist lock).
- Opening: Ø18 mm.
- Weight: 90 gr.
- W.L.L.: 25 kN.
- Standard **EN 362**.
- EC marked.



Connector AA 014

**Connector AA 014. Features:**

- Material: aluminum
- Screw closing.
- Opening: Ø24 mm.
- Weight: 80 gr.
- W.L.L.: 20 kN.
- Standard **EN 362**.
- EC marked.



Connector AA 014T

**Connector AA 014T. Features:**

- Material: aluminum
- Automatic closing (twist lock).
- Opening: Ø24 mm.
- Weight: 80 gr.
- W.L.L.: 20 kN.
- Standard **EN 362**.
- EC marked.



Connector AA 014DT

**Connector AA 014DT. Features:**

- Material: aluminum
- Automatic closing (twist lock).
- Opening: Ø22 mm.
- Weight: 80 gr.
- W.L.L.: 20 kN.
- Standard **EN 362**.
- EC marked.



Connector AA 017

**Connector AA 017. Features:**

- Material: zinc plated steel
- Screw closing.
- Opening: Ø25 mm.
- Weight: 200 gr.
- W.L.L.: 20 kN.
- Standard **EN 362**.
- EC marked.



Connector AA 017T

**Connector AA 017T. Features:**

- Material: zinc plated steel
- Automatic closing (twist lock).
- Opening: Ø25 mm.
- Weight: 200 gr.
- W.L.L.: 20 kN.
- Standard **EN 362**.
- EC marked.



Connector AA 018

**Connector AA 018. Features:**

- Material: zinc plated steel
- Screw closing.
- Opening: Ø27 mm.
- Weight: 220 gr.
- W.L.L.: 20 kN.
- Standard **EN 362**.
- EC marked.



Connector AA 018T

**Connector AA 018T. Features:**

- Material: zinc plated steel
- Automatic closing (twist lock).
- Opening: Ø27 mm.
- Weight: 220 gr.
- W.L.L.: 20 kN.
- Standard **EN 362**.
- EC marked.



Connector AA 019T

**Connector AA 019T. Features:**

- Material: alu alloy
- Automatic closing (twist lock).
- Opening: Ø27 mm.
- Weight: 80 gr.
- W.L.L.: 20 kN.
- Standard **EN 362**.
- EC marked.



Connector AA 111

**Connector AA 0111 Features:**

- Material: aluminum
- Automatic closing (twist lock).
- Opening: Ø45 mm.
- Weight: 220 gr.
- W.L.L.: 20 kN.
- Standard **EN 362**.
- EC marked.



Connector AA 111B

**Connector AA 0111B Features:**

- Material: aluminum
- Automatic closing (twist lock).
- Opening: Ø45 mm.
- Weight: 220 gr.
- W.L.L.: 20 kN.
- Standard **EN 362**.
- EC marked.



Connector AA 090

**Connector AA 090. Features:**

- Material: stainless steel
- Screw closing.
- Opening: Ø13 mm.
- Weight: 150 gr.
- W.L.L.: 25kN.
- Standard **EN 362**.
- EC marked..



Connector AA 011 INOX

**Connector AA 011 INOX. Features:**

- Material: galvanized steel
- Automatic closing.
- Opening: Ø19 mm.
- Weight: 160 gr.
- W.L.L.: 20 kN.
- Standard **EN 362**.
- EC marked.



Connector AA 012 DT

**Connector AA 012 DT. Features:**

- Material: aluminum
- Automatic closing (double twist lock).
- Opening: Ø19 mm.
- Weight: 86 gr.
- W.L.L.: 23 kN.
- Standard **EN 362**.
- EC marked.